



Standards
IEC 61482-2 APC 1 &
ATPV 12 cal/cm² ISO
11612 A B1 C1 F1 ISO
11611 class 1 EN 1149-5
NFPA 70E - ASTM F1959

AFG-1001-...

CAT'ARC multi-risk coverall to protect against electric arc APC1 ATPV 12 cal/cm²

Application:

- Multi-risk protection: protection against thermal hazards of an electric arc, heat and flames, welding hazards and antistatic.
- Prevention of the worsening of an accident by quickly and easly removing the coverall thanks to the red anti-panic zip.
- Adjustable to all body types: elastic waist, adjustable length of inner leg (77 cm or 82 cm).

Features:

- A high collar and adjustable cuffs improve the coverall's high protection.
- Hard-wearing coverall thanks to the reinforcements at the knees, crotch and bottom of the zipper.
- Numerous features: 1 chest band, 2 chest pockets, 2 Italian pockets, 2 cargot pockets.
- Standard pictograms clearly visible on the left sleeve.



Reference	Composition	Size	ATPV (cal/cm²)	Box Test	Couleur
AFG-1001-4XL	Coverall	4XL	12	APC 1	

Last Modification: 07/21/2025

CATU S.A.S. - 10, Avenue Jean-Jaurès - B.P.2 - 92222 Bagneux Cedex France
Phone: +33 1 42 31 46 00 - Fax: +33 1 42 31 46 32

SICAME GROUP